

SaniDate<sup>®</sup> 5.0

Form #:	SDS-001
<b>Revision Date:</b>	05/08/2018
Revision #:	06
Supersedes Date:	12/29/2017

DANGER

Section 1: Identification						
Product Name:	SaniDate <sup>®</sup> 5.0	Product Ty Descript	• •	Sanitizer / Disinfectant		
Recommended Use:	Sanitizer / Disinfectant for commercial use	Other Mean Identificat		Peracetic Ac	Peracetic Acid, Peroxyacetic Acid, PAA	
Use Restrictions:	It is a violation of federal law to use this product in a manner inconsistent with its labeling.	Product Dilut Informat		0.17 – 0.95%		
Manufacturer:	BioSafe Systems, LLC 22 Meadow Street   East Hartford, CT 06108	EPA Registration #:         70299-19         Canada PMRA Registration #:         N/A		N/A DIN #: 02354594		
Telephone Number:	1-888-273-3088	Emergency Number: 1-800-424-9300 (CHEMTREC)				

Section 2: Hazard Identification			
GHS Classification (As Concentrate)	GHS Classification (As Concentrate) Hazard Statements (As Concentrate)		
Oxidizing Liquid: Category 2	H242: Heating may cause f	H242: Heating may cause fire.	
Organic Peroxide: Type F	H272: May intensify fire; or	H272: May intensify fire; oxidizer.	
Corrosive to Metals: Category 1	H290: May be corrosive to	H290: May be corrosive to metals.	
Acute Toxicity (Oral, Dermal, and Inhalation): Category 4	H302: Harmful if swallowed.		
Skin Corrosion: Category 1	H312: Harmful in contact with skin.		
Serious Eye Damage: Category 1	H314: Causes severe skin burns and eye damage.		
Specific Target Organ Toxicity (Single Exposure): Category 3	H332: Harmful if inhaled.		
H335: May cause respiratory irritation.		ry irritation.	
Pictograms		Signal Word	

>

Precautionary Statements		
General	Response	
P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use.	<ul> <li>P301+P330+P331: IF SWALLOWED: Rinse mouth. Do not induce vomiting.</li> <li>P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P304+P340: IF INHALED: Move person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310: Immediately call a POISON CENTER/doctor.</li> <li>P321: For specific treatments see FIRST AID section on SDS or label.</li> <li>P370+P378: In case of fire: Use water or other suitable extinguishing media.</li> <li>P390: Absorb spillage to prevent material damage.</li> </ul>	
Prevention	Storage / Disposal	
<ul> <li>P210: Keep away from heat, sparks or open flames, no smoking.</li> <li>P220: Store away from combustible materials.</li> <li>P221: Take any precautions to avoid mixing with combustibles.</li> <li>P234: Keep only in original container.</li> <li>P260: Do not breathe fumes, mist or vapors.</li> <li>P262: Do not get in eyes, on skin or on clothing.</li> <li>P264: Wash thoroughly after handling.</li> <li>P270: Do not eat, drink, or smoke when using this product.</li> <li>P271: Use only outdoors or in a well-ventilated area.</li> <li>P280: Wear protective gloves, clothing, eye protection, face protection.</li> </ul>	<ul> <li>P405: Store locked up.</li> <li>P406: Store in corrosive resistant container, never use metal containers.</li> <li>P410: Protect from sunlight.</li> <li>P411: Store at temperatures not exceeding 55°C (131°F).</li> <li>P420: Store away from incompatible materials.</li> <li>P501: Dispose of contents/container in accordance with local/regional/national/international regulations.</li> </ul>	
Other Hazards: Exposure may aggravate those with pre-existing ey fumes. Contains an oxidizing material which may a	l e, skin, or respiratory conditions. When heated to decomposition, emits toxic ccelerate fire.	



SaniDate<sup>®</sup> 5.0

Form #:	SDS-001
<b>Revision Date:</b>	05/08/2018
Revision #:	06
Supersedes Date:	12/29/2017

GHS Classification (AT USE Dilution)	Hazard Statements (AT USE Dilution)	
Skin Irritation: Category 3	H316: Causes mild skin irritation.	
Eye Irritation: Category 2B	H320: Causes eye irritation.	
Pictograms (AT USE Dilution)	Signal Word (AT USE Dilution)	
	WARNING	
Precautionary State	ements (AT USE Dilution)	
P264: Wash hands, forearms, and other exposed areas thoroughly after handling.		
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes of the several	utes. Remove contact lenses, if present and easy to do. Continue rinsing.	

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

Section 3: Composition / Information on Ingredients			
Components CAS-No % Composition (w/w)			
Hydrogen Peroxide	7722-84-1	23.0%	
Peroxyacetic Acid	79-21-0	5.0%	
Acetic Acid	64-19-7	10.0%	

	Section 4: First-Aid Measures		
	As Concentrate		
Eye Contact:	Hold eye(s) open and rinse cautiously with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye(s). Call a poison control center or doctor for treatment advice.		
Skin Contact:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.		
Ingestion:	Call poison control center or doctor immediately for treatment advice. Rinse mouth with water. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.		
Inhalation:	Move person to fresh air. If person is not breathing, call 911. Call poison control center or doctor for treatment advice.		
	AT USE Dilution		
Eye Contact:	Rinse with plenty of water.		
Skin Contact:	Rinse with plenty of water.		
Ingestion:	Rinse mouth. Get medical attention if necessary.		
Inhalation:	Move person to fresh air. Get medical attention if symptoms occur. Do not give anything by mouth to an unconscious person.		

Section 5: Fire-Fighting Measures		
Suitable Extinguishing Media:	Water spray.	
Unsuitable Extinguishing Media:	Do not use a heavy water stream, use of heavy stream of water may spread fire.	
Combustion Products:	Corrosive vapors, acetic acid, carbon oxides.	
Unusual Fire and Explosion Hazards:	Product is not flammable but during a fire, product can decompose and generate oxygen which can initiate	
	or promote combustion. Strong oxidizer.	
Protective Equipment for Firefighters:	Do not enter fire area without proper protective equipment, including respiratory protection.	

	Section 6: Accidental Release Measures
Personal Precautions:	Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid
	inhalation, ingestion and contact with skin and eyes.
Emergency Procedures:	Ensure clean-up is conducted by trained personnel. Personnel should wear protective equipment outlined in
	Sections 7 & 8. If facing concentrations above exposure limits personnel shall wear certified respirators.
<b>Environmental Precautions:</b>	Prevent entry to sewers and public waters. Avoid release to the environment.
Methods and Material for	Small spills may be flushed to an approved sewer line with copious amounts of water. For larger spills, dike well
Containment and Clean-Up:	ahead of spill with non-reactive material such as sand. Neutralize spilled liquid with soda ash (sodium carbonate)
	spread over the surface at a rate of 0.7-1.0 pounds per gallon of spilled material. The resultant neutralized product
	will become carbon dioxide and water. Flush material with water and collect for disposal into plastic containers.
	Clean up spills immediately and dispose of waste safely. Absorb spillage to prevent material damage. Do not take up in combustible material such as a saw dust or cellulose based material. Contact competent authorities after a spill.



SaniDate<sup>®</sup> 5.0

Form #:	SDS-001
<b>Revision Date:</b>	05/08/2018
Revision #:	06
Supersedes Date:	12/29/2017

Section 7: Handling and Storage					
	As Concentrate				
Handling:	Wear protective gloves/eye protection/face protection/body, skin protection. Do not eat, drink, or smoke when using this				
	product. Wash thoroughly after handling. Avoid breathing fumes/mist/vapors. Use only outdoors or in a well-ventilated				
	area.				
Storage: Keep away from heat. Keep only in original container. Protect from sunlight. Store at temperatures not exceeding 55°C					
	(131°F). Never return product back to the original container. Store in cool, ventilated area. Never use metal containers or				
	spigots. Use vented container.				
Incompatible Materials:	Store away from combustible materials. Keep concentrate away from reactive substances.				
AT USE Dilution					
Handling:	Handling: Do not ingest. Wash hands thoroughly after handling.				
Storage:	Keep out of reach of children. Store in properly labeled containers.				

Section 8: Exposure Controls / Personal Protection						
Components with Workplace Control Parameters						
Component	OSHA					
Acetic Acid	TWA 10 ppm	TWA: 25 mg/m <sup>3</sup> - 8 hours.	TWA: 25 mg/m <sup>3</sup> - 8 hours.			
	STEL 15 ppm	TWA: 10 ppm - 8 hours.	TWA: 10 ppm - 8 hours.			
Hydrogen Peroxide	TWA 1 ppm	TWA: 1.4 mg/m <sup>3</sup> - 8 hours.	TWA: 1.4 mg/m <sup>3</sup> - 8 hours.			
		TWA: 1 ppm - 8 hours.	TWA: 1 ppm - 8 hours.			
Engineering Controls:	Ensure adequate ventilation.	. Emergency eye wash stations should be a	available in the immediate vicinity of any			
	potential exposure.					
General Hygienic Practices:	Do not eat, drink or smoke d	luring use.				
		As Concentrate				
Personal Protective Equipment:	Protective clothing, protectiv	ve goggles, gloves, face shield.				
Respiratory Protection:	Use NIOSH-approved air-purifying or supplied air respirator where airborne concentrations of vapor or mist are					
	expected to exceed exposure limits.					
Eye / Face Protection:	Chemical goggles or face shie	eld.				
Hands:	Chemical resistant gloves.					
Skin / Body:	Wear suitable protective clot	thing.				
		AT USE Dilution				
Personal Protective Equipment:	Safety glasses.					
Respiratory Protection:	None needed during normal conditions.					
Eye / Face Protection:	Safety glasses in the event of splashes.					
Hands:	None needed during normal	conditions.				
Skin / Body:	None needed during normal	conditions.				

Section 9: Physical and Chemical Properties						
Appearance:	Clear, colorless liquid.	Odor:	Pungent, vinegar-like.	Odor Threshold:	Not available.	
pH:	<1.5	Specific Gravity:	1.11 g/cm <sup>3</sup>	Viscosity:	Not available.	
Melting Point:	Not available.	Freezing Point:	Freezing Point: -30°C (-22°F)		Not available.	
Flash Point:	Not available.	Flammability:	Flammability: Not available.		Not available.	
Vapor Pressure:	22 mm Hg (25°C)	Vapor Density:	Not available.	Solubility:	Complete.	
Evaporation Rate:	Not available.	Auto-Ignition Temperature:	Not available.	Decomposition Temperature:	Self-accelerating decomposition temperature > 55°C	
Relative Density:	Not available.	Partition Coefficient n-octanol / water: Not available.				

Section 10: Stability and Reactivity					
Stability: Store below 86°F and not in direct sunlight. Oxidizer – may intensify fire.					
<b>Conditions to Avoid:</b> Open flames, elevated temperatures, heat sources, direct sunlight. Combustible materials.					
Incompatible Materials: Acids / Bases / Reducing Agents / Organic Materials / Metals / Salts of Metals.					
Hazardous Decomposition Products: Thermal decomposition generates corrosive vapors, acetic acid and oxygen which supports combustio					



SaniDate<sup>®</sup> 5.0

Form #:	SDS-001
<b>Revision Date:</b>	05/08/2018
Revision #:	06
Supersedes Date:	12/29/2017

	Section 11: Toxicological Information							
	As Concentrate							
	Acute Toxicological Data							
Oral LD50:	Rat 3	30 mg/kg (7% solution)	Dermal LD50:	Rabbit, 1410 mg/k	g (10% solution)	Inhalation	4 hours – Rat 4080 mg/kg (5%	
						LC50:	solution)	
Likely Route	es of Ex	posure: Inhalation, eye	e contact, skin cor	ntact.				
				Symptoms and Ef	fects			
				As Concentrat	e			
Condition	n		Acute Effects			Chronic (Dela	yed) Effects	
Eye Con	tact:	Causes serious eye dam	age.		None.			
Skin Con	tact:	Causes severe skin burn	s.		None.			
Inhalat	tion:	May cause respiratory t	ract irritation.		None.			
Ingest	tion:	Harmful if swallowed.			None.			
				AT USE Dilutio	on			
Condition	Condition Acute Effects Chronic (Delayed) Effects					yed) Effects		
Eye Con	Eye Contact: Causes eye irritation, redness.			None.				
Skin Con	Skin Contact: May cause mild skin irritation in sensitive individuals.			None.				
Inhalat	Inhalation: None expected at normal use.			None.				
Ingest	Ingestion: Will cause irritation with small amounts of consumption.			None.				

Section 12: Ecological Information					
Ecotoxicity: Toxic to aquatic life.					
Persistence and Degradability:	Persistence and Degradability: Weak persistence of degradation products.				
Bioaccumulation Potential: Not available.					
Mobility in Soil: Non-significant adsorption soil degradation = 99% in 20 minutes.					
Other Adverse Effects:	Other Adverse Effects: Avoid release to the environment.				

Section 13: Disposal Considerations						
Waste from Residues and Unused Product: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and						
international regulations.						
Contaminated Container Disposal: Do not reuse or refill this container. Triple rinse empty containers with clean water. Clean and emp						
	containers are to be recycled or placed in the trash.					

	Section 14: Transport Information									
	UN	UN Proper Shipping Name Hazard Class Label (Subsidiary) Packing Mari								
	Number		(Subsidiary)		Group	Pollutant				
US DOT	3109	Organic peroxide type F, liquid (Peroxyacetic Acid <43%)	5.2 (8)	Organic Peroxide (Corrosive)	N/A	NO				
TDG         3109         Organic peroxide type F, liquid (Peroxyacetic Acid <43%)			5.2 (8)	Organic Peroxide (Corrosive)	N/A	NO				
<b>Special Precautions:</b> Shipping Container: UN Certified vented polyethylene										

	Section 15: Regulatory Information										
	TSCA Inventory List:	Yes US EPA CERCLA Hazardous Substances:			Acetic Acid 5000 lbs.						
SAR/	A Title III Sec. 302/303	Peracetic Acid; Hydrogen Peroxide				Sec	. 302	TPQ:	Peracetic Acid 500	lbs.	
SAR/	A Title III Sec. 311/312	Peracetic A	Acid	Hazard Category	: Acut	e Health, Re	eactivity	, Fire		Sec. 304 EHS RQ:	Peracetic Acid 500 lbs.
U	JS EPA EPCRA Sec. 313	Peracetic A	Acid		(	CAA Thresh	old Qty	: 10	),000 lb	IS.	
					As Conc	entrate					
	NFPA Rating	Health:	3	Flammability:	1	Reactivit	y:	1	Spec	ial: OX (Oxidizer)	
	HMIS Rating	Health:	3	Flammability:	1	Physic	al:	1	Р	PE: Recommende	d.
					AT USE	Dilution					
	NFPA Rating	Health:	2	Flammability:	0	Reactivit	:y:	0	Spec	ial: None	
	HMIS Rating	Health:	2	Flammability:	0	Physic	al:	0	Р	PE: Recommende	d.
CAN	WHMIS Classification	C – Oxidizi	ng; E –	Corrosive; F – Dan	gerously	Reactive					
	California Prop 65	This produ	ct does	not contain any su	ubstances	known to t	he stat	e of C	aliforni	a to cause cancer, d	evelopmental and/or
		reproducti	ve harr	n.							
EPA		-						•	•		g requirements under the
	Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). These requirements may differ from the classification criteria and hazard information required for a						formation required for a				
	safety data sheet under the Global Harmonized Systems (GHS), and for workplace labels of non-pesticide chemicals. It is a violation of Federal law to use this										
	product in a manner inconsistent with its labeling. Always refer to product label for further precautionary information and use directions.										



SaniDate<sup>®</sup> 5.0

Form #:	SDS-001
<b>Revision Date:</b>	05/08/2018
Revision #:	06
Supersedes Date:	12/29/2017

### Section 16: Other Information

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

To the extent of our knowledge, the information herein is accurate as of the date of this document. However, neither BioSafe Systems nor any of its affiliates make any warranty, expressed or implied, or accept any liability relating to the information or its use. The information is for use by technically skilled persons at their own discretion and risk. This is not a license or a patent. The user alone must finally determine suitability of any information or material for any contemplated use, the manner or use and whether any patents are infringed. Always read and follow label directions.

### **Bi** Safe Systems

SaniDate® 5.0 is a registered trademark of BioSafe Systems, LLC. For additional information, call us toll-free at 1.888.273.3088 or visit <u>www.biosafesystems.com</u> © 2018 BioSafe Systems, LLC. Revision Date: 05/08/2018 Current Revision Number: 06

Key to Abbreviations					
ACGIH - American Conference of Governmental Industrial Hygiene	TWA - Time-Weighted Averages are based on 8h/day, 40h/week exposures				
NIOSH - National Institute of Occupational Safety and Health	STEL - Short Term Exposure Limits are based on 15-minute exposures				
OSHA - Occupational Safety and Health Administration	STEV - Short Term Exposure Value				
EHS – Environmental Health and Safety	PEL - Permissible Exposure Limit				
DOT – Department of Transportation	CAN TDG – Canadian Transportation of Dangerous Goods				
EPA – Environmental Protection Agency	TSCA – Toxic Substances Control Act				
TPQ – Threshold Planning Quantity	RQ – Reportable Quantity				
CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act	SARA – Superfund Amendments and Reauthorization Act				
NFPA – National Fire Protection Association	HMIS – Hazardous Materials Identification System				
WHMIS – Workplace Hazardous Materials Information System (Canada)	EPCRA - Emergency Planning and Community Right-to-Know Act				

#### Key to Abbreviations